

# INDEX MAPS.

## T. 12 N. R. 9 W. 2<sup>nd</sup> Mer.

	205	206	206-208	207	207	207						
	207	205										
209	6	227	5	222	4	218	3	216	2	213	1	205
	227	226	221	218	215	213						
209	7	226	8	221	9	217	10	215	11	213	12	205
	226	225	221	217	215	212						
209	18	225	17	220	16	217	15	215	14	212	13	204
	224	224	220	216	215	212						
209	19	224	20	220	21	232	22	214	23	211	24	204
	224	223	219	232	214	211						
208	30	223	29	219	28	216	27	214	26	211	25	204
	223	223	219	216	214	210						
208	31	222	32	218	33	216	34	214	35	210	36	203
	201	201	201	201	201	201	202	202				
	203	203	203	202	202							

Meanders-227

## T. 13 N. R. 9 W. 2<sup>nd</sup> Mer.

	238	238	238	237	237	237						
240	6	259	5	254	4	250	3	247	2	243	1	236
	258	258	253	250	246	243						
240	7	258	8	253	9	249	10	246	11	243	12	236
	257	257	253	249	246	242						
239	18	257	17	252	16	249	15	246	14	242	13	236
	257	256	252	248	245	242						
239	19	256	20	252	21	248	22	245	23	242	24	236
	256	255	251	248	245	241						
239	30	255	29	251	28	248	27	244	26	241	25	235
	255	254	251	247	244	241						
239	31	254	32	250	33	247	34	244	35	240	36	235
	233	233	233	235	234	234						
	234	234	235									

Meanders-259

The figures on the lines refer to the page.

233

East Qua Reudim line Cuth Smith Brm N. of sec. 31.  
T. 13. N. R. 9. W.

38.00 To a Ld. 5 4 4 J.E.

80.00 Set a temporary post for the cov. of Lw. 31532.

Says a little rolling *Lynx* *pard* *torquatus*. not said  
 Timber Oaks, Birch, Sugar, Ash, Walnut, Poplar, &c.  
 even enough *Spiz.* Sound  $\frac{1}{2}$  mile  $\frac{1}{2}$  rate;

4.00 To gRivok. 3 mts NW, Lane Co.

46.00 Fox Brook, 6 miles, Leona N.E.

80.00 Got a tempo post for the car of sat. 3/4/33.

East  
1930  
Ora Remondini On the South Bank of the river, 33.  
Set apart on the Right Bank of Natash River for the use  
of Grad. Sec. 33. William Harris.  
D.S.

West On the low line On the South Boundary of sec 33.

4940 Set apart on the West Bank of Wataash R. for the crop  
fract. Cu. 33 from which

W. nimmt 28 in dur.hau. 156 E. 2 knits out, 70

No. 36 " " " , N 627794 "

80.00 Let the transport post on the train for the couple?  
32133 from white

W Oak 14 in diam. 16 & 21 knots each; 22

Lo Ho a a a 5648.581

Sand New bottom whetstone forms on ~~both~~ sides of  
the River

T. 13. N. R. 9 W. 2<sup>nd</sup> Mer. Sec. 32

West	On the true line On the South Boundary of sec. 32 - T. 13. N. R. 9 W. P. 650'
40.00	Set a $\frac{1}{4}$ section post from which Sugar 15 in dia. trees N 25 E 60 mts dist; 2 <sup>nd</sup> Oak 12 " " S 4 W 40 " "
63.00	To a Brook 10 mts wide, flows S. E.
80.00	Set the township post on the true line for the corner of T. 13 <sup>th</sup> from which Oak 10 in dia. trees N 62 W 0 mts dist; 2 <sup>nd</sup> Oak 15 " " S 26 E. 30 " " Good pt. $\frac{1}{4}$ mile hill, 3 <sup>rd</sup> rate; 2 <sup>nd</sup> $\frac{1}{4}$ mile level of good for farming;

West	On the true line On the South Boundary of sec. 31. T. 13. N. R. 9 W.
40.00	Set the township $\frac{1}{4}$ section post on the true line from which Sugar 12 in dia. trees N 5 E. 14 mts dist; 2 <sup>nd</sup> Oak 18 " " S 25 W 49 " "
62.00	To a Brook 10 mts wide, flows S. E.
71.19	To the corner of T. 12 N. 13. N. R. 9 W.

West	On the South Boundary of sec. 36. T. 13. N. R. 9 W.
20.00	Enter a prairie.
40.00	Set the $\frac{1}{4}$ section post in prairie. No bearing trees.
80.00	Set a post for the corner of sec. 35 T. 36. in prairie. No bearing trees. Good prairie for farming

West	On the South Boundary of sec. 35. T. 13. N. R. 9 W.
40.00	Set the $\frac{1}{4}$ section post in prairie on No bearing trees
80.00	Set a post for the corner of sec. 34 T. 35 in prairie No bearing trees Good land:

T. N. 13. N. R. N. 9. 7. 2nd Mer. Ind. 235

West On the South Boundary of sec. 34. T. 13. N. R. 9. W.  
40.00 Set a 1/2 support in prairie.

No bearing trees:

65.00 Crossed the prairie.

80.00 Set a post for the cor of sec 33 & 34 from which  
W Oak 9 in dia. bears East 37 1/2 W. 1/2; or  
S. 12 1/2 " " " S 70 W 46 " "  
Land known.

West On the South Boundary of sec. 33. T. 13. N. R. 9. W.

36.53 Set a post on the Left BK of Matash R. for the cor of  
frac. Sec. 33 from which.

An Elm 8 in dia. stands for the cor.  
Land bottom which overflows.

### East Boundary

North On the East Boundary of sec. 36. T. 13. N. R. 9. W.

40.00 Set a 1/2 support from which

W Oak 12 in dia. bears N 7 E. 50 1/2 W. 1/2; or

S. 12 1/2 " " " N 16 E 83 " "

60.00 To a creek. 70 1/2 W. 1/2; or Sec. 36.

78.50 " " S. 10 " " " " " "

80.00 Set a post for the cor of sec. 25 & 36 from which  
W Walnut. 14 in dia. bears S 23 E. 38 1/2 W. 1/2; or

Elm. 9 " " " N 38 E. 15 " "

Land low timber Oak & White; rich soil & good for  
farming

North On the East Boundary of sec. 25 T. 13. N. R. 9. W.

35.00 Entered a prairie.

40.00 Set a 1/2 support in prairie

No bearing trees:

80.00 Set a post for the cor of sec 24 & 25 from which  
Hickory 14 in dia. bears N 48 W 80 1/2 W. 1/2; or

Beach C " " " S 79 W 80 " "

Land generally prairie & good for farming



North On the East Boundary of sec. 24 T. 13. N. R. 9. W.  
 40.00 Set a 1/4 section post from which  
 20 paces 24 in dia. bears S 56 E. 5.15 links dist;  
 80.00 Set a post for the cor of sec. 13 & 24 from which  
 10 paces 10 in dia. bears S 56 E. 10.75 links dist;  
 Land good prairie Good sandy soil.

North On the East Boundary of sec. 13 T. 13. N. R. 9. W.  
 40.00 Set a 1/4 section post from which. (in prairie.  
 No bearing trees  
 80.00 Set a post for the cor of sec. 13 & 13 in prairie  
 No bearing trees.  
 Land good for farming; Dry sandy prairie.

North On the East Boundary of sec. 12 T. 13. N. R. 9. W.  
 18.00 Crossed the prairie.  
 39.50 A Brook 20 links wide, course W.  
 40.00 Set a 1/4 section post from which  
 Sugar 12 in dia. bears N 22 E. 15 links dist; on  
 Walnut 8 " " " S 71 W. 15 " "  
 74.00 To a Brook 3 links wide, course W.  
 80.00 Set a post for the cor of sec. 13 & 12 from which  
 Gum 18 in dia. bears S 58 E. 44 links dist; on  
 Poplar 36 " " " N 82 W. 48 " "  
 Land with a good and rich and good for farming  
 North a rather bro riv.

North On the East Boundary of sec. 1 T. 13. N. R. 9. W.  
 40.00 Set a 1/4 section post from which  
~~Gum 18 in dia. bears S 58 E. 44 links dist; on~~  
~~Poplar 36 " " " N 82 W. 48 " "~~  
 Maple 15 in dia. bears N 22 E. 27 links dist; on  
 Gum 14 " " " S 27 E. 38 " "  
 80.00 Set a post for the cor of T. 13 & 14 N. R. 9 & 9 W.  
 from which a Sugar 14 in dia. bears N 52 E. 27 links dist;  
 and a Do. 12 " " " S 52 W. 24 " "

T. N. 13. N. R. N. 9 W. Land (Mr. 237  
Land.

Land good for farming; 1/2 mch. Sugar, Sugar,  
Poplar, Oak.

North Boundary 76° 50'  
West On the South Boundary of sec. 36. T. 14. N. R. 9 W.  
39.00 Set a 1/4 sec. post from which  
40.00 Set a 1/4 sec. post from which  
Sugar 12 in dist. bears. S 36 E 3 miles dist. to  
Do. 15 " " " N 10 W 50 " "  
80.00 Set a post for the cor of sec. 35 & 36 from which  
Heater 12 in dist. bears. N 9 W 50 miles dist. to  
N Oak 18 " " " S 37 E 150 " "  
Land a little rolling and good for farming Timber  
Oak, Heater, Sugar, etc.

West On the South Boundary of sec. 35. T. 14. N. R. 9 W.  
40.00 Set a 1/4 sec. post from which  
N Oak 14 in dist. bears. N 38 E 49 miles dist. to  
Do. 12 " " " S 51 E 24 " "  
44.93 Set a post on the Left Bank of the Watash River for the  
cor of frac. Sec. 35. From which  
Sycamore 14 in dist. bears. N 13 W 30 miles dist. to  
Bottom 30 " " " S 15 W 43 " "  
West On the South Boundary of sec. 35. T. 14. N. R. 9 W.  
40.00 Set a 1/4 sec. post  
55.00 Set a post on the West Bank of the Watash R. (Right  
Bk.) for the cor of frac. Sec. 33 from which  
Heater 12 in dist. bears. N 36 W 17 miles dist. to  
Do. 10 " " " S 44 W 17 " "  
80.00 Set a post for the cor of sec. 34 & 35 from which  
Maple 8 in dist. bears. N 24 W 16 miles dist. to  
N Oak 18 " " " S 35 E 41 " "  
Land rich over bottom which overflows

West On the South Boundary of sec. 34. T. 14. N. R. 9 W.  
40.00 Set a 1/4 sec. post from which

80.00	<p>Elm. 11 in dia: beam 35 E 20 miles dist. 25          Do. 18 " " " N 9 E 11 " "          Set a post for the cor of sec. 33 &amp; 34 from which          Hickory 20 in dia: beam. N 51 E 45 lbs dist. 25          Do. 20 " " " 38 W 36 " "          Most of this mile conforms; rich soil.</p>
West 30.00	On the South Boundary of sec. 33 T. 14. N. R. 977. Is a brook 70 miles wide, lower 1.
40.00	Set a post from which Elm. 12 in dia: beam 47 W. 9 miles dist. 25 Hackberry 12 " " " 20 W. 51 " "
80.00	Set a post for the cor of sec. 32 & 33 from which Sugar 12 in dia: beam. 46 E 10 miles dist. 25 Walnut 12 " " " 20 W. 47 " " Land rather broken, good soil; Timber Oak, Sugar, Poplar, Walnut, &c.
West 37.50	On the South Boundary of sec. 32 T. 14. N. R. 977. Is a brook 3 miles wide, lower 2.
40.00	Set a post from which Sugar. 12 in dia: beam. N 42 W 19 miles dist. 25 Oak 30 " " " 30 W. 61 " "
65.00	Is a brook 8 miles wide, lower 2.
80.00	Set a post for the cor of sec. 31 & 32 from which Sugar. 14 in. dia: beam. N 30 E 15 miles dist. 25 Do. 18 " " " 58 W. 42 " " Land rolling and good for farming; Timber Oak, Hickory, Sugar, Poplar, &c.
West 40.00	On the South Boundary of sec. 31 T. 14. N. R. 977. Set a post from which Oak 12 in dia: beam. 57 W. 23 miles dist. 25 Do. 12 " " " 23 E 26 " "
70.54	Is the cor of T. 13 & 14 N. R. 977 & 77



T. No 13 N. R. No 9 W 2<sup>nd</sup> (Mer. Ind. 239

West Boundary v. 7<sup>th</sup> 00'

North On the East Boundary of sec. 36 T. 13. N. R. 10 W.  
40.00 Set a 1/4 section from which  
W Oak 24 in dia. trees. S 47 E 28 links dist. to  
Beck 18 " " " S 70 W 40 " "  
80.00 Set a post for the cor of sec. 25 & 36 from which a  
Hick 14 in dia. trees. N 45 W 33 links dist. to  
Sugar. 14 " " " S 20 W 25 " "  
Land a little rolling, up to broken; & good for farm-  
ing; Timber Beech, Sugar, &c.

North On the East Boundary of sec. 25 T. 13. N. R. 30 W.  
40.00 Set a 1/4 section from which  
Hick 18 in dia. trees. S 66 W 16 links dist. to  
Lp. 14 " " " S 77 E 45 " "  
80.00 Set a post for the cor of sec. 24 & 25 from which a  
Sapwood 6 in dia. trees. N 84 E 6 links dist. to  
Hick 6 " " " S 19 W 33 " "  
Land low and 2<sup>nd</sup> rate; Timber Oak &c.

North On the East Boundary of sec. 24 T. 13. N. R. 10 W.  
4.00 To a Brook 40 links wide, corner E.  
40.00 Set a 1/4 section from which  
Sugar. 10 in dia. trees. S 54 E 9 links dist. to  
Beck 10 " " " N 29 W 10 " "  
79.50 To a Brook 10 links wide, corner N. E.  
80.00 Set a post for the cor of sec. 13 & 24 from which a  
Beck 10 in dia. trees. S 68 W 23 links dist. to  
Lp. 24 " " " N 77 E 22 " "  
Land hilly & 3<sup>rd</sup> rate; Timber Beech, &c.

North On the East Boundary of sec. 13 T. 13. N. R. 10 W.  
40.00 Set a 1/4 section from which  
W Oak 10 in dia. trees. S 84 E 47 links dist. to  
Hick 12 " " " N 63 W 17 " "  
41.50 To a Brook 10 links wide corner N. E.



## T. N. 13. N. R. N. 9 11 2nd Mer. Ind.

80.00 Set a post for the cor of sec. 12 & 13 from which  
 W Oak 30 in diam. bears N 32 E 44 links ash; to  
 Bush 36 " " S 50 W 44 "  
 Land level and good for farming; Timber Beech,  
 Sugar, Oak, &c. Begin E  
 Sec!

North On the East Boundary of sec. 12 T. 13. N. R. 10 W.  
 40.00 Set a post from which a  
 Bush 8 in diam. bears S 3 E. 26 links ash; to  
 Do. 12 " " " N 5 E 32 " "  
 44.00 To a Brook 10 links wide, corner N. E.  
 80.00 Set a post for the cor of sec. 17 & 12 from which  
 Bush. 26 in diam. bears S 17 E. 32 links ash; to  
 Do. 30 " " " N 31 W 10 " "  
 Land & timber same.

North On the East Boundary of sec. 1. T. 13. N. R. 10 W.  
 40.00 Set a post from which a  
 Bush 12 in diam. bears S 23 E. 26 links ash; to  
 Do. 15 " " " N 12 W 32 " "  
 79.30 Introduce the E & W line 946 links East of the Temp.  
 post cor of S. 13 & 14 N. R. N. 9 10 W and set  
 a post for the cor of Sec. 1. 6. 31 & 36. T. 13 & 14 N.  
 R. N. 9 10 W from which  
 Bush 20 in diam. bears N 26 E. 2 links ash; to  
 W Oak 40 " " " S 43 W 87 " "  
 Land level and good for farming; Timber Beech,  
 Sugar, Ash, & some Walnut.

Surveyed by  
 William Harris,  
 Depy Surveyor.

## Subdivisions.

South On a Random line between Sec 35 & 36 T. 13. N. R. 9 W.  
 30.00 To a Creek 70 links wide, corner W  
 40.00 Set a temp. post for a post.

241

T. N. 13. N. R. No 9 W. 2<sup>nd</sup> Mer. Sec.

65.00 Exp'd a prairie.  
 79.83 Subcut the South Bound 58 miles West of the post cor.  
 of Sec. 35 T36.  
 Land good and good for farming, Timber Birch, Sugar,  
 Elm, Oak &c.

North On the true line between Sec. 35 T36. T. 13. N. R. 9 W.  
 39.91 Set a trip 7 1/2 in post at the ar. ch on the true line  
 from which a Sugar. 11 in dist. from N 88 E. 21 the arch,  
 and a Do. 21 " " " N 37 W. 6 " "  
 79.83 To the post cor of Sec. 25, 26, 35 T36.

East On a Roman line between Sec. 25 T36. T. 13. N. R. 9 W.  
 40.00 Set a trip 7 1/2 in post.  
 80.80 Subcut the East Bound 58 miles South of the post cor.  
 of Sec. 25 T36.  
 Land good and Brisky; middling good for farming

West On the true line between Sec. 25 T36. T. 13. N. R. 9 W.  
 40.40 Set the trip 7 1/2 in post from which a (on true line)  
 Sugar. 16 in dist. from S 78 E. 65 miles arch, on  
 Do. 12 " " " S 33 E. 47 " "  
 81.80 To the post cor of Sec. 25, 26, 35 T36.

South On a Roman line between Sec. 25 T26 T. 13. N. R. 9 W.  
 40.00 Set a trip 7 1/2 in post  
 63.50 Exp'd a prairie.  
 80.67 Subcut the E & W line 43 miles West of the post cor of  
 Sec. 25, 26, 35 T36.

North On the true line between Sec. 25 T36. T. 13. N. R. 9 W.  
 40.00 Set a trip 7 1/2 in post at the ar. ch on the true line  
 from which a post in prairie No bearing Trus.  
 80.67 To the post cor. of Sec. 23, 24, 25 T26.

East On a Roman line between Sec. 24 T25 T. 13. N. R. 9 W.

242

T. N. 13. N. R. N. 9. W. Quad. Mer. Ind. 5

110.00 Set a temp. 7/8 support.  
 76.50 Passed prairie.  
 81.00 Intersect the East Boundary 59 links North of the post  
 cr. of Sep. 24 & 25.  
 This line appears not to be corrected.

North Between Sec. 23 & 24 T. 13. N. R. 9. W.  
 40.00 Set a 7/8 support. No bearing trees  
 80.00 Set a post for the cor. of Sec. 13. 14. 23 & 24  
 No bearing trees

East On a true line between Sec. 13 & 24 T. 13. N. R. 9. W.  
 40.75 Set the temp. 7/8 support at the ar. dist. on the true line  
 from which a (No bearing trees.)  
 80.50 To the post cor. of sec. 13. & 24.

South On a Random line between Sec. 13 & 14 T. 13. N. R. 9. W.  
 40.00 Set a temp. 7/8 support.  
 80.00 Intersect the E. & W. line 34 links East of the post cor.  
 of Sec. 13. 14. 23. & 24.

North On the true line between Sec. 13 & 14 T. 13. N. R. 9. W.  
 40.00 Set the temp. 7/8 support at the ar. dist. on the true line  
 from which a (No bearing trees.)  
 80.00 To the post cor. of sec. 11. 12. 13 & 14.

West On a Random line between Sec. 12 & 13 T. 13. N. R. 9. W.  
 40.00 Set a temp. 7/8 support.  
 80.61 Intersect the N. & S. line 64 links South of the post cor. of  
 11. 12. 13 & 14.

East On a true line between Sec. 12 & 13 T. 13. N. R. 9. W.  
 40.30 Set the temp. 7/8 support at the ar. dist. on the true line  
 from which a (No bearing trees; )  
 80.61 To the post cor. of sec. 12 & 13.



243  
Cud<sup>a</sup>

South Cap Random line between Secs 11. 12. 13. 14. 15. 16. 17. 18. 19. 20.

79.68 Contact the E & W line 12 miles West of the foot of  
Peaks 11, 12, 13 & 14.

Scrubby dry Sand. prairie. Good for farming;

North Ogish River bridge between Sec. 11 & 12 T. 43. N. R. 9. W.

39.89 Set the turn  $1\frac{1}{4}$  ea post at the av. dist. on the true line

79.68 To the post cor of cut. 1. 2. 11. 412.

East On a Random line between the 1412 & 13. 1159 W.

30.00 To p Brook 20 miles mid, Coura N.W.

40.00 Def a trump  $\frac{1}{2}$   $\frac{1}{4}$  du post

81.00 Interest New NB line w East Bond N 20 miles North  
Sept 1906

Land lived and good for farming;

West  
1877

Copy the form into between Dec 1 1779 J. 13. N. R. 9 W.

40.50 Left the temp.  $7\frac{1}{4}$  degrees at the arch on the river in

1770 E 8

81.00 To the post on of sub. 1, 2, 11. & 12.

North Western Dec 14<sup>th</sup> 1897.

8050 Intersect the N. Road 108 miles West of the peak  
on June 30<sup>th</sup> Hill 8050 "Grand" 108 miles

182 From Whitham

W Ca R 36 in dist. hms. N 45 E 31 conts. dist. on

*L.O. 24*      *942754*

This line was run before.

North Oct 10m Dec 182 J. 13. N. R. 97.

10.00 Cashed Prairie.

40.00 Let a  $\frac{1}{4}$  cent post from which a



244

T. N. 13. N. R. No 977 2<sup>nd</sup> Mer. Ind.

53.35 Kept 12 in dist. from N 41 E 43 units each; to  
 Is about 30 units wide, corner N.  
 80.00 Set a temp. post for the cor. of Sec. 1 & 2.  
 Timber thin; many of the Maple, Spruce, etc.; Sand  
 and clods good for farming.

South Oak Run line between Secs 34 & 35 T. 13. N. R. 977  
 40.00 Set a temp. post in east  
 80.17 Intersect the South Boundary at the east cor. of Sec.  
 34 & 35.  
 Sand prairie & good for farming

North Oak Run line between Secs 34 & 35 T. 13. N. R. 977  
 40.08 Set the temp. post in east at the ar. dist. on the line  
 from which (No bearing trees) in prairie.  
 80.17 To the east cor. of Sec. 26, 27, 34 & 35.

East Between Secs 26 & 35. T. 13. N. R. 977.  
 20.00 Crossed the prairie. Across 40 units wide, to N. 77.  
 40.00 Set a post from which  
 Elm. 5 in dist. from N 33 E 44 units each; to  
 Hackberry 12 " " S 81 E 33 " "  
 80.00 Set a post for the cor. of Sec. 25, 26, 35 & 36 from which  
 Kept 14 in dist. from N 24 E 79 units each; to  
 Oak 24 " " N 77 E 103 " "  
 Sand & 7/8 mile prairie; last 3/4 broke bottom  
 rich and good for farming; Timber Sugar Wal-  
 nut, Birch, Oak, etc.

South Oak Run line between Secs 26 & 27 T. 13. N. R. 977  
 15.24 Is about 70 units wide, corner N. 77.  
 40.00 Set a temp. post  
 51.00 Entered prairie  
 80.05 Intersect the E & W line 34 units West of the east cor.  
 of Sec. 26, 27, 34 & 35

T. No 13. N. R. No 9 N. 2nd Mer. 24.5  
 Sud.

40.02 1/2 Set the trap 1 1/2 m east at the arch on the line from which a W Oak 26 in dia. bears. S 26 N 65 the arch  
 and a W Oak - " " " S 16 E 83 " "  
 80.03 To the post cor. of sec. 22, 23, 26, & 27.

East Between Sec. 23 & 26. T. 13. N. R. 9 N.  
 40.00 Set a 1/2 m east from which a  
 Sugar 18 in dia. bears. S 76 N 38 miles arch, &  
 Buckeye 10 " " " S 27 N 16 " "  
 51.00 Entered prairie.  
 80.00 Set a post for the cor. of sec. 23, 24, 25 & 26 from which  
 Land 1st 1/2 mile; Timber W Oak, Sugar, Ash, &c. last 1/2 mile Dry prairie; Good for farming

South On a Random line between Sec. 22, & 23. T. 13. N. R. 9 N.  
 40.00 Set a trap 1 1/2 m east  
 80.48 Set a post on the E. & N. line 39 miles West of the post cor. of  
 Sec. 22, 23, 26 & 27.  
 Land good for farming; Timber W Oak, Hickory & Sugar,

North On the line between Sec. 22, & 23.  
 40.24 Set the trap 1 1/2 m east at the arch on the line from  
 which a Hickory 15 in dia. bears. S 19 E 20 miles arch,  
 and a Walnut 4 " " " S 11 N 37 " "  
 80.48 To the post cor. of sec. 14, 15, 22, & 23.

West Between Sec. 14 & 23. T. 12. N. R. 9 N.  
 40.00 Set a 1/2 m east in prairie.  
 No bearing tree;  
 48.00 Passed prairie;  
 80.00 Set a post for the cor. of sec. 14, 15, 22 & 23 from which a  
 Hickory 10 in dia. bears. S 76 E 73 miles arch, &  
 Do. 10 " " " S 35 E 76 " "  
 Land E 1/2 mile; Timber W Oak & Hickory; &c. Good for  
 farming;

## T. N. 13. N. R. N. 9 N. Q. 11. M. S. 11.

North Return Dec 14 & 13 T. 13. N. R. 9 N.  
 40.00 Set a 7/8 support from which  
 Walnut 24 in dia. beam. N42 W 23 units each; on  
 N. 18 " " N72 E 36 " "  
 80.00 Set a post for the cor. of sec. 10. 11. 14 & 13 from which  
 N. 18 in dia. beam. N56 E 6 units each; on  
 E. 18 " " N67 W 23 " "  
 Sand hole and mts; Especially the R. 7/8 mts.

East Return Dec 11 & 14 T. 13. N. R. 9 N.  
 40.00 Set a 7/8 support from which  
 13 Oak 18 in dia. beam. N68 W 44 units each; on  
 Do. 18 " " S32 E 40 " "  
 60.00 E. 18 in dia. beam.  
 80.00 Set a post for the cor. of sec. 11. 12. 13 & 14  
 No bearing true;

North Return Dec 10 & 11 T. 13. N. R. 9 N.  
 23.88 A Sugar - in dia. stands on the Left Bank of the Wa-  
 bash. R. for the cor. of sec. 10 & 11.  
 40.00 A Maple (in dia. stands on the Left Bank of the  
 Wabash. for the cor. of 7/4 sec.  
 80.00 Set a post for the cor. of sec. 2, 3, 10 & 11 from which  
 E. 15 in dia. beam. S40 E 23 units each; on  
 Do. 24 " " S86 W 20 " "  
 Sand hole; Timber E. 15, N. 15, & 20.

East Return Dec 2 & 11 T. 13. N. R. 9 N.  
 40.00 Set a 7/8 support from which  
 E. 24 in dia. beam. S42 W 7 units each; on  
 Do. 12 " " N82 E 18 " "  
 49.50 E. 12 in dia. beam.  
 80.00 Set a post for the cor. of sec. 1, 2, 11. & 12 from which  
 Black 24 in dia. beam. N47 W 250 units each; on  
 Sand 1/2 mile E. 12 in dia. beam. Last 7/8 high land  
 Good for farming; Timber 1/2 W. Oak.



247

T. N.º 13. N. R. N.º 9 T. 2<sup>nd</sup> Mer. Ind.

North	Between Sec 2 & 3. T. 13. N. R. 9 N.
24.09	A Water Bush, 6 in dia. stand on the Left Bank of the Natabash R.
North	Between Sec. 2 & 3. T. 13. N. R. 9 N. Continued
37.38	Set a post on the Right Bank of the Natabash, from which, Cottonwood 18 in dia. trees. S 89 E. 23 miles dist. to,
	Do. 36 " " " N 72 W 32 " "
40.00	Set a $\frac{1}{4}$ sec post from which,
	Maple. 30 in dia. trees. N 33 E. 13 miles dist. to,
49.93	Enter the W. Bound. 47 miles West of the first cor. of.
	Sec 34 & 35. T. 14. N. R. 9 N. and set a post for " "
	" 2 & 3 from which,
	Maple. 8 in dia. trees. N 70 E. 43 miles dist. to,
	W. dist. 18 " " " S 68 W. 58 " "
	Sand rich bottom which overflows.

North	Between Sec. 33 & 34. T. 13. N. R. 9 N.
25.00	To a Pond
30.00	Crossed it;
40.00	Set a $\frac{1}{4}$ sec post from which,
	Elm. 14 in dia. trees. S 36 W. 43 miles dist. to,
	Red Bud 11. " " N 58 E. 24 " "
43.00	Enter a prairie.
80.00	Set a post for the cor. of Sec. 27, 28, 33 & 34 from which,
	in prairie. No bearing trees;
	Last $\frac{1}{2}$ mile low prairie which overflows.

East	Between Sec. 27 & 34. T. 13. N. R. 9 N.
5.00	To a Pond.
15.00	Passed it.
35.00	Enter a prairie.
40.00	Set a $\frac{1}{4}$ sec post from which,
	Oak. 30 in dia. trees. N 89 W. 460 yds dist.
80.00	Set a post for the cor. of Sec. 26, 27, 34 & 35
	Sand prairie last $\frac{1}{2}$ mile good for farming



North Return Sat 27 & 28 T. 13. N. R. 9 W.  
 40.00 Set a 7/4 eapost from which  
 W Oak. 40 in air: trees. S 24 N. 110 links each; ~~to~~  
 80.00 Crossed the prairie and set a post for the cr of sec  
 21, 22, 27, & 28. from which  
 W Oak. 27 in air: trees. S 16 N. 174 links each; ~~to~~  
 Sand bar prairie what overflows; very rich soil.

Friday Feb 7 4. 1814

East Return Sat 22 & 27 T. 13. N. R. 9 W.  
 40.00 Set a 7/4 eapost No bearing true  
 53.50 Passed prairie  
 76.00 To a creek 70 links wide, corner N. W.  
 80.00 Set a post for the cr of sec 22, 23, 26 & 27 from which  
 Ironwood 4 in air: trees. S 12 E. 16 links each; ~~to~~  
 No. 6 " " " S 64 N. 12 " "

Saturday Feb 7 5. 1814

North Return Sat 21 & 22 T. 13. N. R. 9 W.  
 40.00 Set a 7/4 eapost from which  
 Sy camm. 4 in air: trees. S 14 N. 20 links each; ~~to~~  
 Aph. 6 " " " North 39 " "  
 80.00 Set a post for the cr of sec 15, 16, 21, & 22 On the Left  
 Bank of the Natabash R. from which  
 Sugar. 6 in air: trees. S 28 E. 10 links each; ~~to~~  
 No 3 " " " S 22 E. 4 " "

East Return Sat 15 & 22 T. 13. N. R. 9 W.  
 13.50 To the Left Bank of Natabash River and set a post for  
 the cr of sec 15 & 22 from which  
 Sugar. 15 in air: trees. S 67 E. 117 links each; ~~to~~  
 Churn " " " S 14 N. 19 " "  
 40.00 In sec. corner on the Natabash near the mouth of a  
 creek 150 links wide  
 45.28 To the Left Bank of the Natabash River  
 79.70 Entered the N. B. river 7 miles south of the post on sec.

T. N. 13. N. R. N. 9 W 2nd (Mr. Sud. 249

14. 15, 22 & 23

Jan. 25. 1816-

North Return Sud 18 & 15 T. 13. N. R. 9 W.  
 11. 86. Set a post on the Right Bank of the Watah for the  
 cor. of frac. Sud 18 & 15 from which  
 Hick 18 in dist. bears N 20 E 32 links dist; or  
 Elym. 27 " " S 53 W. 37 " "  
 40.00 Set a 7/8 cu post from which  
 W ash 30 in dist. bears N 61 W. 20 links dist; or  
 Hick 14 " " S 14 E. 39 "  
 80.00 Set a post for the cor. of sud 9. 10. 15 & 16. from which  
 Hick 9 in dist. bears S 8 E 14 links dist; or  
 Lp. 12 " " S 44 W. 15 " "  
 Sound out bottom. hick overflows

East Return Sud 10 & 15 T. 13. N. R. 9 W.  
 29.00 To a Brook. 15 links dist; corner S. E.  
 40.00 Set a 7/8 cu post from which  
 Hick 9 in dist. bears S 48 W. 13 links dist; or  
 Elym. 12 " " N 40 W. 24 " "  
 46.19 Set a post on the Right Bk of the River for the cor. of  
 Sud 10 & 15 from which  
 Maple 10 in dist. bears S 45 W. 5 links dist; or  
 Lp. 26 " " N 14 E. 8 " "  
 Sound same.

West Return Sud 10 & 15 T. 13. N. R. 9 W.  
 16.00 Set a post on the Left Bk of Watah River from which  
 Buckeye 4 in dist. bears N 31 E. 7 links dist; or  
 Hick 20 " " S 20 E 9 " "

North Return Sud 9 & 10 T. 13. N. R. 9 W.  
 35.00 To a Pond & Lake  
 40.00 Set a 7/8 cu. post in pond from which  
 W ash 12 in dist. bears South 5. 30 links dist;  
 44.00 Passed the pond





T. N. 13. N. R. No 9 W. 2nd Mer. Ind. 251

Sept 23<sup>rd</sup> 1814

North On the New line between Cal. 32 & 33 T. 13. N. R. 9 W.  
40.25 Set the trap for a post let the air die on the New line  
from which W Oak 20 in. dia. bears N 64 W 27 the die  
and a Hickory 3 " " S 54 E 5 " "  
80.50 To the post on Jan. 28. 29. 32 & 33.

East Return Cal. 28 & 33 T. 13. N. R. 9 W. r. 6° 50'  
25.10 Set a post for the cor. of Jan. 28 & 33 on the Right Bank  
of Wabash River from which  
Maple 14 in dia. bears N 16 E 8 links die; to  
W. 10 " " S 39 W 14 " "  
Sand river bottom which overflows.  
West Return Cal. 28 & 33 T. 13. N. R. 9 W.  
28.00 Crossed the prairie. In a Pond.  
32.00 Crossed the pond  
40.00 Set a 1/2 post from which  
Walnut 14 in dia. bears S. 36 W 3 links die; to  
Elm 11 " " S 54 E 10 " "  
44.00 Set a post on the Left Bank of the Wabash, for  
the cor. of Jan. 28 & 33 from which  
Mulberry 12 in dia. bears S 41 E 7 links die; to  
Beech 7 " " S 18 E 17 " "  
Sand river bottom which overflows.

North Return Cal. 28 & 29 T. 13. N. R. 9 W. r. 6° 10'  
40.00 Set a 1/2 post from which  
W Oak 10 in dia. bears S 43 W 23 links die; to  
W Oak 8 " " S 81 E 28 " "  
46.00 To a Brook 20 links wide, former C.  
80.00 Set a post for the cor. of Jan. 20. 21. 28 & 29 from which  
Beech 12 in dia. bears S 25 E 24 links die; to  
W Walnut 6 " " S 21 W 50 " "  
Sand bar. Run & 2nd rate; from Beech & Oak,

East Return Cal. 21 & 28 T. 13. N. R. 9 W.



34.00 Set a post on the Right Bank of the Wabash River  
for the cor of Gravel Sec. 21 & 28 from which  
Sugar. 30 in dia. beam. S 21 E. 22 links north; on  
Beak. 4 " " " N 75 W. 7 " "  
Sand river bottom which overflows

Feb 6. 1814  
West Return Sec. 21 & 28 J. 13. N. R. 97.  
33.36. A Sycamore 18 in dia. stands for the cor of sec.  
21 & 28 on the Left Bk of W River.

Jan 24. 1816. N. 6° 10'  
North Return Sec. 20 & 21 J. 13. N. R. 97.  
40.00 Set a 1/4 cu post from which  
Sugar. 12 in dia. beam. S 23 E. 27 links north; on  
Beak. 18 " " " N 85 W. 52 " "  
47.50 To a Brook 10 links mid, corner E.  
53.50 " " 20. 10 " " " "  
80.00 Set a post for the cor of Sec. 16, 17, 20 & 21 from which  
Beak. 15 in dia. beam. N 11 E. 21 links north; on  
Lo. 14 " " " N 73 W. 31 " "  
Sand bottom of 2<sup>nd</sup> rate; Timber Beak, Oak, Sugar.

East Return Sec. 16 & 21 J. 13. N. R. 97 N. 6° 50'  
30.50 To a place 15 links mid, corner S E  
41.70 Set a post on the Right Bank of the Wabash R. for  
the cor of sec. 16 & 21. from which  
Willow 18 in dia. beam. S 32 E. 17 links north; on  
Maple. 10 " " " N 18 W. 7 " "  
Sand river bottom which overflows

South On a Random line between Sec. 16 & 17 J. 13. N. R. 97.  
40.00 Set a temporary cu post  
69.00 To a Brook 10 links mid, corner E.  
80.80 Intersect the E & W line 29 links West of the post cor.  
of sec. 16, 17, 20 & 21.

253

T. N. 13. N. R. No 9 W. 2nd. M. 1st.

North On the true line between Sec 16. 17. 18. N. R. 9 W.  
 40.40 Set the trap 1/2 in support at the ar dish on the true line from  
 which, Eugen. 6 in dist. from. 166 W. 2 the only, 80  
 80.80 To the post on of sec 8. 9. 16 17.  
 No. 8 1/2 " " " 154 E. 25 " "

East On a R. line between Sec 9. 16. 17. N. R. 9 W.  
 30.00 To place 15 miles wide, corner S. E. 1/2 1/2  
 40.00 Set a trap 1/2 in support  
 80.00 Intercept the N. R. line at the post on of sec 9. 10. 15 16.  
 From the hill 1/2 rate.

West On the true line between Sec 9 16. 17. N. R. 9 W.  
 40.00 Set a 1/2 in support at the ar dish on the true line  
 from which, 1/2 in dist. from. 166 E. 24 the only  
 under No. 6 1/2 " " " 153 W. 24 " "  
 80.00 To the post on of sec 8. 9. 16 & 17.

South On a R. line between Sec 8 & 9. 13. N. R. 9 W.  
 40.00 Set a trap 1/2 in support  
 66.00 To place 12 miles wide, corner E.  
 80.76 Intercept the E. W. line 16 miles West of the post on of sec  
 8. 9. 16. & 17.  
 From the hill 1/2 rate.

North On the true line between Sec 8 & 9. 13. N. R. 9 W.  
 40.28 Set the trap 1/2 in support at the ar dish on the true line  
 from which, 1/2 in dist. from. 166 E. 23 the only, on  
 Poplar 24 " " " 17 W. 6 " "  
 80.76 To the post on of sec 4. 5. 8 & 9.

Jan 27 1816.

West On the true line between Sec 4 & 9. 13. N. R. 9 W.  
 40.00 Set a 1/2 in support from which,  
 Eugen. 24 in dist. from. 16 E. 14 miles wide, on  
 Elm. 24 " " " 127 W. 50 " "

80.00	Set a post for the cor. of sec. 4, 5, 8 & 9 from which Run. 14 in dir. true. S 86 E 6 links north; & a Bech. 12 " " " S 64 N. 43 " " Land East 1/2 bottom; West 1/2 bottom rich soil; Timber Beech, Sugar, Ash, Oak, Poplar &c.
North 40.00	Between Sec. 4 & 5 T. 13. N. R. N. 9 W. Set a post for the cor. of sec. 4, 5 from which Sugar 30 in dir. true. South 13 links north; & a Do. 24 " " " N 39 N. 25 " "
49.59	Intersect the N. Bound. 13 links East of the post cor. of sec. 32 & 33. T. 14. N. R. 9 W. and set a post for the cor. of sec. 4 & 5 from which Beech 12 in dir. true. N 36 N. 50 links north; & a Sugar. 14 " " " S 22 N. 11 " " Land rolling and 2nd rate soil; Timber Beech, & Sugar,
North 35.50	Jan. 22. 1816. Between Sec. 31 & 32 T. 13. N. R. 9 W. N. 6° 10'
40.00	To palmato Brook former C. Set a post for the cor. of sec. 4, 5 from which Sugar. 30 in dir. true. N 34 E. 49 links north; & a Beech. 18 " " " S 20 N. 8 " "
80.00	Set a post for the cor. of sec. 29, 30, 31 & 32 from which Beech 30 in dir. true. N 26 E. 28 links north; & a Sugar. 12 " " " S 78 N. 22 " " Land a little broken & good for farming; Timber Beech, Sugar, & Oak, &c.
East 40.00	Between Sec. 29, 32 T. 13. N. R. 9 W. N. 6° 50'
46.00	Set a post for the cor. of sec. 28, 29, 32 & 33 from which Beech 18 in dir. true. N 71 E. 84 links north; & a Sugar. 12 " " " N 20 N. 48 " "
80.00	To a Brook 10 links wide, former C.E. Set a post for the cor. of sec. 28, 29, 32 & 33 from which



T. N. 13. N. R. N. 9. N. 2nd (Mm. Sud. 253

Sugar. 10 in dia: bears S 6 E. 30 miles north; to  
 Walnut. 15 " " N 78 W. 26 " "  
 Land broken & 2nd rate; Timber Buck, Sugar &c

West Bottom Sur 30 V 31. T. 13. N. R. 9 W. p. 650  
 40.00 Set a 7/8 capost from which  
 Sugar. 6 in dia: bears S 6 E. 48 miles north; to  
 Do. 10 " " " S 83 W. 51 " "  
 65.00 To a Brook. 10 miles wide, corner T. W.  
 70.80 Intersect the West Bottom N. 72 miles South of the post.  
 on of w. 25 V 36. T. 13. N. R. 10 W. and set a post for  
 " " " 30 V 31. from which  
 Height 14 in dia: bears N 26 W. 49 miles north; to  
 Sugar. 14 " " " S 29 W. 28 " "  
 Land a little broken & 2nd rate; 2nd rate farming  
 land Timber Buck, Oak, & Sugar, &c.

South On all main line between Sur 29 V 30 T. 13. N. R. 9 W.  
 40.00 Set a trap 7/8 capost  
 75.00 To a Brook 10 miles wide, corner E.  
 79.90 Intersect the E W line 21 miles West of the post on of  
 Aug 29. 30. 31 V 32  
 Land broken & 2nd rate; Timber Buck, Oak, Sugar.

North On the line between Sur 29 V 30 T. 13. N. R. 9 W.  
 39.95 Set the trap 7/8 capost at the w. end in the line  
 from which, Sugar. 6 in dia: bears N 3 E. 24 miles north  
 under Eym. 6 " " " S 61 E. 19 " "  
 79.90 To the post on of w. 19. 20. 29. V 30.

West Bottom Sur 20 V 29 T. 13. N. R. 9 W. p. 650  
 7.50 To a Brook 15 miles wide, corner S.  
 40.00 Set a 7/8 capost from which  
 B. Oak. 10 in dia: bears S 43 W. 20 miles north; to  
 W. Oak 8 " " " S 81 E. 28 " "  
 62.50 To a Brook 20 miles wide, corner S. E.

T. N<sup>o</sup> 13. N. R. N<sup>o</sup> 9 W. 2<sup>nd</sup> Mer Ind.

8000 Set a post for the cor. of sec. 19 & 20 29 & 30 from which  
 Engon. 12 in air: time S 72 E 10 miles north; & 25  
 Reifer 10 " " " N 25 W 16 " "  
 Land broken & 3<sup>rd</sup> rate; Timber Oak &c.

West Return Sec. 19 & 20 T. 13. N. R. 9 W. N. 65° 50'  
 40,00 Set a 7<sup>th</sup> sec post from which  
 Sumner 8 in air: time N 2 E 14 miles north; & 25  
 Do. 6 " " " S 18 E 19 " "  
 71.84 Intersect the West Boundary at the post cor. of sec 24 & 25  
 T. 13. N. R. 10 W.  
 Land hilly & 3<sup>rd</sup> rate; Timber Birch, Engon Oak, &c.

South Oak Run am line between Sec. 19 & 20 T. 13. N. R. 9 W.  
 40,00 Set a 7<sup>th</sup> sec post from which  
 62.50 To a Post 20 miles north, Sec. 20  
 80.00 Intersect the E & W line 10 miles East of the post cor. of  
 Sec. 19, 20 29 & 30  
 Land 1/2 mile good land, 2<sup>nd</sup> & hilly 3<sup>rd</sup> rate;

North On the line between Sec. 19 & 20 T. 13. N. R. 9 W.  
 40,00 Set a 7<sup>th</sup> sec post from which  
 Wash 10 in air: time N 72 E 20 miles north; & 25  
 Ely: 6 " " " S 80 W 9 " "  
 80.00 To the post cor. of sec. 17, 18, 19 & 20.

West Return Sec. 17 & 20 T. 13. N. R. 9 W. N. 65° 50'  
 40,00 Set a 7<sup>th</sup> sec post from which  
 Engon. 8 in air: time N 3 E 16 miles north; & 25  
 Reifer 15 " " " S 78 W 17 " "  
 80,00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which  
 Engon. 12 in air: time N 30 W 6 miles north; & 25  
 Sheffer 6 " " " N 8 E 26 " "  
 Land a little rolling; and good for farming  
 Timber Birch, & Engon.





T. No 13. N R No 9 N 2<sup>nd</sup> (New Ind.)

N 10 in air. beam. 137 N. 16 links each; 70,  
 Sugar. 10 " " " N 16 E. 27 "  
 70.67 Cut out the West Branch 14 links South of the post  
 on of 12 & 13. T. No 13. N R. 187 N. and set a post  
 " " " 7 & 18 from which  
 Sugar. 10 in air. beam. 180 E. 21 links each; 70,  
 N Oak. 6 " " " 157 N. 11 "  
 Land good and good for farming; Some few Pines,  
 Birch, Ash, Oak, Hickory

South On a new line between Dec 7 & 8 T 13. N R 9 N.  
 40.00 Set a trap 7 1/2 ex post.  
 44.00 To a Brook 8 links mile, corner E.  
 74.00 To " " " " " "  
 80.44 Cut out the E 5 N line 37 links West of the post.  
 on of 12, 7, 8, 17, & 18  
 Land same as the last mile.

North On the new line between Dec 7 & 8 T 13. N R 9 N  
 40.22 Set the trap 7 1/2 ex post on the new line from which  
 Brook 11 in air. beam. 133 N 18 links each; 70,  
 N Oak 11 " " " 136 E. 22 "  
 80.44 To the post on of 5, 6, 7, & 8.

West Between Dec 5 & 8 E. T 13. N R 9 N  
 24.00 To a Brook 6 links mile, corner N.  
 40.00 Set a trap ex post from which  
 Sugar. 9 in air. beam. 128 E. 8 links each; 70,  
 Di. 12 " " " 15 E. 19 "  
 80.00 Set a post for the on of 5, 6, 7 & 8 from which  
 Brook 10 in air. beam. 135 E. 27 links each; 70,  
 Brook 18 " " " 129 N 39 "  
 Land broken & good for farming; Some few Pines

West Between Dec 6 & 7 E. T 13. N R 9 N  
 40.00 Set a trap ex post from which

T. N<sup>o</sup> 13. N. R. N<sup>o</sup> 9 W 2<sup>nd</sup> Mer. Ind<sup>n</sup>. 259

Beck 20 in clear time. N 17 E. 30 miles out, to  
 Sugar. 14 " " " N 44 W. 45 " "  
 70.30 Intercept the N 13 W line or West Boundary 8 miles South  
 of the post cor of sec 14 T. 13. N. R. 10 W and set a  
 " " " " 64 y from which,  
 Beck 30 in clear time. N 79 W 14 miles out, to  
 Do. 14 " " " N 84 E. 15 " "

North Return Sec 3 T. 6. T. 13. N. R. 10 W.  
 40.00 Set a post from which,  
 N Oak 18 in clear time. N 33 E. 22 miles out, to  
 Rock 6 " " " S 66 W. 21 " "  
 44.00 To a Rock 10 miles N. W. from N. E.  
 79.59 Intercept the N Boundary 6 miles East of the post cor of  
 Sec. 31 T. 3. T. 14 N. R. 9 W and set a post for the cor.  
 from 3 T. 6. from which,  
 Sugar. 14 in clear time. N 7 E. 12 miles out, to  
 Do. 18 " " " S 61 W. 48 " "  
 Land rolling and good for farming; Timber Oak,  
 Oak Sugar & Ash, Hawthorn.

Meanders of the Left Bank of Natchez River  
 commenced at the post in the line between Sec. 28 T. 33  
 thence down stream.

S 21 W.	7.28.	
S 28 W.	10.08	
S 21 W.	6.28	
S 1 W.	16.94	In sec. 33.
S 11 E.	9.09	
S 21 E.	18.49	
S 26 E.	14.56	
S 35 E.	3.03.	To the South 137 feet. 33. T. 13. N. R. 9 W

Commenced at the post cor of sec 28 T. 33. thence up  
 S 26 E. 4.80 Stream  
 N 21 E. 9.53 Sec. 28.

N16 E. 1231.

N13 E. 16.30

N5 E. 8.95

In su. 28.

N3 W. 13.14

N8 W. 14.36.

N1 W. 297 To the post in the line of su. 21 &amp; 28. Hence

N8 W. 54.40

N10 E. 13.69

N40 E. 3.59

N60 E. 7.76.

N76 E. 9.30

In su. 21.

N87 E. 2.57

N82 E. 11.83.

N77 E. 5.09

A small Island opposite this corner

N65 E. 1.80 To the post cor of su. 15. 16. 21. &amp; 22.

East 13.50 To the Nabash R. from the cor of su. 15. 16. 21 &amp; 22

S76 E. 6.02

S71 E. 6.86.

In su. 22

S83 E. 6.10

N77 E. 10.32

N400 links or thereabouts. 100 links wide,

N54 E. 3.63. To the cor. of su. 15 &amp; 22. Hence

N52 E. 4.39

N37 E. 4.11

N19 E. 7.90

N5 W. 6.78

N37 W. 22.19

In su. 15.

N17 W. 18.07

N26 E. 6.21.

N48 E. 10.91

N59 E. 11.30

N54 E. 11.15 To the post in the line between su. 10 &amp; 15

N56 E. 5.57



T. N. 13. N. R. N. 9 W. Quad. Min. Sec. 261

N 41 E. 6.54  
 N 34 E. 5.96 In cu. 10  
 N 22 E. 10.00  
 North 1.53 To the post cor. of sec. 10 T. 11. S. 13. N. R. 9 W.

N 21 E. 2.00  
 N 3 E. 7.27 In cu. 11.  
 N 10 W. 6.84  
 N 50 E. 0.14 To the 1/4 corner in the N. T. 3 line between sec. 10 & 11.

N 7 W. 10.10  
 N 15 W. 11.12  
 N 21 W. 10.15 In cu. 10.  
 N 12 1/2 W. 9.50 To the post cor. of sec. 3 T. 10.

North 9.00  
 N 20 E. 5.63  
 N 38 E. 10.57 In cu. 3  
 N 48 E. 2.07  
 S 62 E. 1.06 To the cor. of sec. 2 T. 3.

Commenced at the corner of frac. Sec. 2. & 35. Thence  
 down stream in the S. of N. R., in cu. 2.

S 5 W. 10.72  
 S 16 W. 14.90  
 S 24 W. 7.19  
 S 30 W. 6.71  
 S 37 W. 9.82  
 S 41 W. 5.28  
 S 45 W. 14.89  
 S 50 W. 9.00  
 S 34 W. 0.41 To the cor. of sec. 2 T. 3. S. 13. N. R. 9 W.

Meanders of the Right Bank of the N. T. 3 River  
 Commenced in the South 33rd N. of sec. 33. Thence up

Stream in Aug. 33.

N19W. 14.37

N15½W 8.89

N19W 17.13

N15W. 16.53.

N9E. 8.94

N22E. 5.20

N27½E 11.47

N35E. 1.20 In the post cor of lvs. 28 &amp; 33.

In lvs. 33.

N23E. 16.89

N13E. 22.90

N3½E. 7.19

N1W. 6.66

N6W. 27.43

N1W. 0.40 In the post cor of lvs. 21 &amp; 28.

N6W. 46.63.

N7E. 12.28

N10W. 7.50

N27E. 7.43

N32E. 3.96.

N48E. 5.00 At the mouth of creek.

N56E. 10.64 At 0.81 within corner cor of lvs. 21 &amp; 16.

In lvs. 21.

N75E. 19.20

In lvs. 16.

N83E. 10.43 In the post cor of lvs. 15 &amp; 16.

N85E. 5.95

N74E. 21.00

East 7.00

N70E. 10.00

N17E. 4.42

N31W. 14.07

N40½W 8.89

N30W 5.77

*J. N. 13. N. R. N. 9 W. 2<sup>nd</sup>. Mer. Ind. 263*

*N 21 W 6.13*

*N 4 W 7.61*

*N 5 E. 3.58*

*N 15 1/2 E 9.93*

*N 23 E. 3.46.*

*In Sec. 15.*

*N 43 E. 12.76.*

*N 60 E. 6.28*

*N 69 E. 2.98 To the post on of sec. 10 & 15.*

*N 54 E. 23.43.*

*N 29 E. 6.43.*

*N 12 E. 11.29*

*N 16 W 3.16*

*N 10 W. 8.04*

*N 17 W 13.46*

*N 11 W 6.70*

*In Sec. 10.*

*N 15 W 5.76*

*N 7 W. 6.25*

*N 12 W. 5.44*

*N 5 1/2 W 2.59 To the post on of sec. 3 & 10*

*N 7 E 2.58*

*N 3 E 8.80*

*In Sec. 3.*

*N 25 1/2 E 14.54*

*To a break 70 links man,*

*N 46 E. 12.12*

*N 52 1/2 E 5.50 To the post on of sec. 2 & 3.*

*N 46 E. 3.97*

*N 48 E. 5.69*

*N 44 E 5.37*

*In Sec. 2.*

*N 37 1/2 E 11.93*

*N 27 E. 6.53*

*N 19 E 11.25*

*N 8 1/2 E. 6.17 To the North Boundary of Township Sec. 2*

*Surveyed by*

*William Harris D.S.*



264

T. No 13. N. R. No 9 W. Q<sup>nd</sup> Mer. Ind<sup>ed</sup>

I certify that the foregoing Transcript of the full  
notes of Township No 13. N Range No 9 West  
of the 2<sup>nd</sup> Meridian Indiana has been compared with  
the Original notes in this Office & found to be correct.  
Surveyor General's Office,  
Cincinnati Aug 31 1841 } E. S. D. Ainsworth  
Sur. Genl.